

Delock FPV 5725 - 5875 MHz Antenna SMA plug 2.5 dBi circular polarized

Description

This antenna by Delock allows the usage of the WLAN band (5 GHz) and the FPV bands indoors and outdoors.

FPV

Thanks to the FPV method, video signals are transmitted in real time from the model to the controller. This technique is also used for VR glasses (Virtual Reality).

Through the view from the first-person perspective, the user gets the feeling of watching with the eyes of the drone. The user also gets a better control of the flight and has a special flying experience. Especially for users of RC model building this is an interesting extension.



Item no. 12573

EAN: 4043619125739

Country of origin: China

Package: White Box

Specification

- Connector: 1 x SMA plug
- Frequency range: 5725 - 5875 MHz
- FPV
- Antenna gain: 2.5 dBi
- Impedance: 50 Ohm
- VSWR: 1.5
- Polarisation: RHCP
- Operating temperature: -50 °C ~ 80 °C
- Cable type: RG-141
- Cable: coaxial
- Dimensions (LxD): ca. 94 x 30 mm


System requirements

- Device with a free SMA connector

Package content

- Antenna

Images



Interface

connector:	1 x SMA plug
------------	--------------

Technical characteristics

Frequency range:	5725 - 5875 MHz
Antenna gain:	2.5 dBi
Impedance:	50 Ω
Operating temperature:	-50 °C ~ 80 °C
Polarisation:	RHCP
Power handling:	20 W
VSWR:	1.5

Physical characteristics

Cable type:	RG-141
Dimensions (LxØ):	94 x 30 mm