

Delock Heat Shrink Tube 2 m x 12 mm Shrinkage Ratio 4:1 black

Description

This heat shrink tube by Delock is used to protect and to insulate cables, electrical tubes or wires. Under the effect of heat, the sleeve completely encloses the cable and shrinks. This protects the cable from the effects of the influence of weather and mechanical damage.

Shrinkage ratio 4:1

The tube shrinks to a quarter of its original diameter when heated. A hot air gun is the ideal way to shrink the tubing.

Multifunctional application

The heat shrink tube can be used e.g. in a workshop or in the industry.



Ø 12 mm / 2 m

Item no. 20667

EAN: 4043619206674

Country of origin: China

Package: Zip poly bag


Specification

- Length: ca. 2 m
- Diameter: ca. 12 mm
- Shrinkage ratio 4:1
- Shrinking temperature: 70 °C ~ 125 °C
- Material: polyolefin
- Colour: black

Package content

- Heat shrink tube

Images



Technical characteristics

| | |
|------------------------|----------------|
| Shrinking temperature: | 70 °C ~ 125 °C |
| Shrinkage ratio: | 4:1 |

Physical characteristics

| | |
|-----------|------------|
| Material: | polyolefin |
| Diameter: | 12 mm |
| Length: | 2 m |
| Colour: | black |