



Delock External Enclosure for M.2 SATA SSD with USB Type-C™ female

Description

The aluminium enclosure by Delock enables the installation of a M.2 SSD in 2280, 2260, 2242 and 2230 format, which can be connected via USB to the PC or laptop. The robust metal housing ensures an optimum temperature of the memory.



Item no. 42003

EAN: 4043619420032 Country of origin: China Package: Retail Box

Specification

Connectors:

external: 1 x USB 10 Gbps USB Type-C™ female

internal: 1 x M.2 key B slotChipset: Asmedia ASM235CM

- Supports M.2 modules in format 2280, 2260, 2242 and 2230 with key B or key B+M based on SATA
- Maximum height of the components on the module: 1.5 mm, application of doublesided assembled modules supported
- Bootable
- Data transfer rate up to 6 Gbps
- LED indicator for power and access
- Dimensions (LxWxH): ca. 110 x 40 x 9.5 mm
- · Hot Plug, Plug & Play

System requirements

• Android 9.0 or above



- Chrome OS 83.0 or above
- iPad Pro (2018)
- Linux Kernel 5.4 or above
- Mac OS 10.15.6 or above
- Surface Pro 7
- Windows 8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-C™ port
- PC or laptop with a free Thunderbolt™ 3 port

Package content

- External enclosure M.2
- Screwdriver
- · Mounting material
- Cable USB-C™ male to USB-C™ male, length ca. 45 cm
- User manual

Images











General

Supported operating system:	Android 9.0 or above Chrome OS 83.0 or above Linux Kernel 5.4 or above Mac OS 10.15.6 or above Surface Pro 7 Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (2018)
Supported module:	$\mbox{M.2}$ modules in format 2280, 2260, 2242 and 2230 with key B or key B+M based on SATA
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

Interface

External:	1 x USB 10 Gbps USB Type-C™ female
Internal:	1 x 67 pin M.2 key B slot

Technical characteristics

Asmedia ASM235 Chipset:

Physical characteristics

Housing material:	Aluminium
Length:	110 mm
Width:	40 mm
Height:	9.5 mm
Colour:	black