



Delock SO-DIMM DDR3L 1 GB 1600 MHz 1.35 V / 1.5 V -40 $^{\circ}$ C $_{\sim}$ 85 $^{\circ}$ C Industrial

Description

This SO-DIMM by Delock is suitable for installation in laptops, industrial PCs and general industrial applications. The memory is ideal for use in harsh environments and has an extended temperature range of -40 $^{\circ}$ C $^{\sim}$ 85 $^{\circ}$ C. Furthermore it supports an operation with 1.35 V (low voltage) and 1.5 V.



1 GB

Item no. 55827

EAN: 4043619558278 Country of origin: Taiwan, Republic of China

Package: Box

Specification

• Storage capacitiy: 1 GB

• Pin: 204

Chipset: Micron - low voltage
Assembly: 128Mx8 SDRAMs
Frequency: 1600/1333/1066 MHz
Module speed: PC3-12800

• Function: unbuffered - non ECC

Bandwidth: 64 bitVoltage: 1.35 V / 1.5 V

• Operating temperature: -40 °C ~ 85 °C - Industrial grade

System requirements

• A free SO-DIMM socket with 204 pin

Package content

SO-DIMM module



Images









Interface

DDR 3: **SO-DIMM**

Technical characteristics

Buswidth:	64 bit
Assembly:	128Mx8
Chipset:	Micron
Frequency:	1600 MHz
Operating temperature:	-40 °C ~ 85 °C
Module speed:	PC3 - 12800
Pin:	204
Voltage:	1.35 V 1,5 V
Capacity:	1 GB