

Delock Adapter USB 2.0 Type-A > 1 x Serial DB9 RS-232

Description

This adapter by Delock enables the connection of a serial device via a USB Type-A port.



ca. 87 cm

Specification

- Connectors:
1 x USB 2.0 Type-A male >
1 x serial RS-232 DB9 male
- Chipset: FTDI
- Serial connector with screw
- Data transfer rate: more than 1 Mb/s
- Length:
adapter ca. 68 mm (incl. connector)
cable ca. 80 cm (incl. connector)

System requirements

- Windows Server-2008/Server-2008-64/Vista/Vista-64/7/7-64/8.1/8.1-64/10/10-64, Linux Kernel 2.4, Mac OS 10.5
- PC or laptop with a free USB Type-A port

Package content

- USB 2.0 to 1 x serial adapter
- USB 2.0 extension cable
- Driver CD
- User manual

Item no. 61425

EAN: 4043619614257

Country of origin: China

Package: Retail Box



Images



General	
Function:	Plug & Play
Specification:	RS-232 USB 1.1 USB 2.0
Supported operating system:	Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Windows Server 2008 R2 Windows Server 2012 R2 Windows Server 2012 Windows Server 2016 ex Linux Kernel 2.6.x ex Mac OS 10.9
Interface	
Connector 1:	1 x USB 2.0 Type-A male
Connector 2:	1 x Serial RS-232 DB9 male
Technical characteristics	
Chipset:	FTDI FT232RL
FIFO:	128 byte 256 Byte
Signal transmission:	TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND
Data transmission:	asynchronous full duplex
Current consumption:	20 mA
Physical characteristics	
Cable colour:	transparent
Cable length:	80 cm
Cable length incl. connector:	87 cm
Pin finishing:	gold-plated
Screw type:	#4-40 UNC
Shielding:	double
Colour:	black