# Delock Adapter M.2 Key M > SFF-8643 NVMe

## Description

This Delock adapter enables the connection of a NVMe memory e.g. U.2 SSD via the SFF-8643 interface to a M.2 slot.




**Item no. 62721**

EAN: 4043619627219

Country of origin: Taiwan, Republic of China

Package: Retail Box

## Specification

- Connectors:
  1 x 67 pin M.2 Key M male
  1 x 36 pin SFF-8643 female
- Interface: PCIe (2 or 4 lanes)
- Form factor: M.2 2260
- Suitable for M.2 slot with key M based on PCIe
- Compatible to PCI Express V4.0
- Data transfer rate up to 64 Gbps
- Supports NVM Express (NVMe)
- Operating temperature: -10 °C ~ 85 °C

## System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- A free M.2 interface with key M

## Package content

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

- Adapter M.2 > SFF-8643
- 1 x screw
- User manual

## Images







© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

## General

| | |
|---|---|
| Form factor: | M.2 2260 |
| Supported operating system: | Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit |
| Slot: | PCIe |

## Interface

| | |
|---|---|
| Connector 1: | 1 x 67 pin M.2 Key M male |
| Connector 2: | 1 x 36 pin SFF-8643 female |

## Technical characteristics

| | |
|---|---|
| Operating temperature: | -10 °C ~ 85 °C |

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.