Delock Adapter USB Type-C™ male > VGA female (DP Alt Mode)

Description

This Delock adapter is suitable for the connection of a VGA monitor to a computer with USB-C™ interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like Macbook, Chromebook and similar. In addition, the adapter can also operate on a Thunderbolt™ 3 interface.



Item no. 62796

EAN: 4043619627967

Country of origin: China

Package: Retail Box

Specification

- Connector:
  1 x USB Type-C™ male >
  1 x VGA 15 pin female
- Chipset: Analogix ANX9847
- DisplayPort 1.2 specification
- Signal direction: USB Type-C™ input > VGA output
- Resolution up to WQXGA 2560 x 1600 @ 60 Hz (depending on the system and the connected hardware)
- Transfer of digital video signals
- USB bus powered
- Plug & Play
- Plastic housing with inner metal shell
- Cable length without connector: ca. 8 cm
- Colour: black

System requirements

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.


- Windows 7/7-64/8.1/8.1-64/10/10-64, Windows 10 Mobile, Mac OS 10.11.4
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

- USB-C™ to VGA Adapter

Images





© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

General

Function:	Plug & Play
Specification:	DisplayPort 1.2
Supported operating system:	Mac 10.11.4 Windows 10 32-Bit Windows 10 64-Bit Windows 10 Mobile Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

Interface

Output:	1 x VGA 15 pin female
Input:	1 x USB Type-C™ male

Technical characteristics

Chipset:	Analogix ANX9847
Maximum screen resolution:	2560 x 1600 @ 60 Hz
Signal transmission:	video

Physical characteristics

Cable length:	8 cm
Connector finishing:	nickel-plated
Colour:	black

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.