


# Delock Converter Slim SATA 13 pin > USB 2.0 Type-B female

### Description

With this converter by Delock an optical drive with Slim SATA connection can be operated via the USB interface. Therefore, the converter can be connected directly to the back of the drive.



#### Item no. 62857

EAN: 4043619628575 Country of origin: Taiwan, Republic of China Package: Retail Box

# Specification

- Connector:
  - 1 x Slim SATA 6 Gb/s 13 pin female >
  - 1 x USB 3.0 Type-B female
  - 1 x 4 pin USB 2.0 pin header (optional for data transfer)
  - 1 x 4 pin power connector (optional for power supply)
- Power supply via USB host or the additional 4 pin power connector
- Data transfer rate up to 5 Gbps
- Compatible with OHCI 1.0a specification
- Supports Spread Spectrum

### System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 2.6.x / Kernel 4.x.x
- Optical drive with 13 pin Slim SATA connector
- A free USB interface

# **DATASHEET**



# Package content

- Converter
- Screws
- User manual

#### Images





#### General

Supported operating system:	Linux Kernel 2.6 or above
	Windows 10 32-Bit
	Windows 10 64-Bit
	Windows 7 32-Bit
	Windows 7 64-Bit
	Windows 8.1 32-Bit
	Windows 8.1 64-Bit

## Interface

Connector 1:	1 x Slim SATA 6 Gb/s 13 pin receptacle
Connector 2:	1 x USB 5 Gbps Type-B female
connector 3:	1 x 4 pin USB 2.0 pin header (optional for data transfer)
connector 4:	1 x 4 pin power connector (optional for power supply)

# **Technical characteristics**

Data transfer rate:	USB 5 Gbps up to 5 Gb/s
---------------------	-------------------------