Delock Adapter USB 2.0 Type-A male > 4 x Serial RS-232 DB9 male

Description

The USB 2.0 to serial adapter by Delock enables you to connect 4 serial devices to a free USB port of your PC or laptop.

1,4 m

Item no. 62947

EAN: 4043619629473

Country of origin: CHINA

Package: Retail Box

Specification

- Connectors:
  1 x USB 2.0 Type-A male >
  4 x serial RS-232 DB9 male
- Chipset: FTDI FT4232H
- Data transfer rate up to 115.2 Kb/s
- Supports: UHCI / OHCI / EHCI
- Serial connector with screw
- Supports remote wake-up and power management
- Cable length: ca. 1.4 m

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 2.6.x, Mac ex OS 10.9
- PC or laptop with a free USB Type-A port

Package content

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

- USB 2.0 to 4 x Serial adapter
- Driver CD
- User manual

Images



© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

General

Function:	Plug & Play Remote Wake-Up
Specification:	RS-232 (EIA / TIA) USB 2.0
Supported operating system:	Linux Kernel 2.6 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8 32-bit Windows 8 64-bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indicator:	Power

Interface

Connector 1:	1 x USB 2.0 Type-A male
Connector 2:	1 x Serial RS-232 DB9 plug

Technical characteristics

Chipset:	FTDI FT4232H
Data transfer rate:	4 x up to 115,2 Kbps
FIFO:	4 x 2 KByte
Data transmission:	asynchronous full duplex
Current consumption:	up to 130 mA

Physical characteristics

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

Connector color:	red yellow green violet
Housing material:	Plastic
Cable type:	USB AWM Style 2725 VW-1
Cable colour:	black
Cable length incl. connector:	1.4 m
Pin finishing:	gold-plated
Conductor gauge:	28 AWG data line 24 AWG power line
Screw type:	#4-40 UNC
Shielding:	double

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.