

# Delock Dual DisplayPort Adapter with 4K 60 Hz and PD 3.0 for MacBook

## Description

This adapter by Delock can be connected to a MacBook with two adjacent Thunderbolt™ 3 ports, e.g. the MacBook Pro. Two monitors can be operated at the DisplayPort outputs with 4K 60 Hz simultaneously.

### USB Power Delivery (USB PD 3.0) support up to 100 watt

The adapter has a **USB Type-C™ Power Delivery port** to connect the power supply of the laptop to charge it. The adapter can also be used without a power supply.

### Small sturdy helper

Due to its **small dimensions** and its **sturdy housing**, this Delock adapter is particularly suitable for travelling. It can simply be packed into the bag together with the laptop and used as needed.

[Dual DisplayPort Adapter](#)

## Note

Only one additional external monitor can be connected to MacBook devices with M1 chipset.



**Item no. 64001**

EAN: 4043619640010

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - 2 x USB Type-C™ male
  - 2 x DisplayPort female
  - 1 x USB Type-C™ female (power supply)
- Resolution up to 3840 x 2160 @ 60 Hz  
(depending on the system and the connected hardware)
- Transmission of audio and video signals
- Functions: Mirrored or Extended
- USB Power Delivery (PD) 3.0
- Metal housing

- Rubberized bottom
- Colour: grey
- Dimensions (LxWxH): ca. 62 x 40 x 11 mm

---

## System requirements

- MacBook Pro with two adjacent Thunderbolt™ 3 ports

---

## Package content

- Adapter
- User manual

---

## Images



## Interface

Connector 1:	2 x USB Type-C™ male
Connector 2:	2 x DisplayPort female
connector 3:	1 x USB Type-C™ Power Delivery female

## Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz
----------------------------	---------------------

## Physical characteristics

Housing material:	metal
Colour:	grey