

# Delock USB Type-C™ to SATA Converter with 2.5" Protection Cover

## Description

This Delock converter can be connected via **USB-C™** interface to a PC or laptop. Thus a 2.5" SATA HDD or SSD with a 22 pin SATA interface can be used.

### Protection cover for 2.5" SSD / HDD

The included protection cover can be used to insert an SSD or HDD up to a height of **9.5 mm** and to continue using the converter.



**Item no. 64084**

EAN: 4043619640843

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male
  - 1 x SATA 6 Gb/s 22 pin receptacle
- Chipset: VIA VL715
- Suitable for 2.5" SATA HDD / SSD:
  - support 3.3 V / 5 V HDD / SSD
  - HDD height up to 9.5 mm
- Supports SATA 1.5 Gb/s, SATA 3 Gb/s and SATA 6 Gb/s
- Data transfer rate:
  - USB 3.0 up to 5 Gb/s
  - SATA up to 6 Gb/s
- LED indicator
- USB bus powered
- Colour:
  - cable: black
  - protection cover: white
- Cable length without connectors: ca. 15 cm
- Dimensions protection cover (LxWxH): ca. 129 x 75 x 16 mm

---

## System requirements

- Android 9.0 or above
- Chrome OS 75.0 or above
- Linux Kernel 3.3 or above
- Mac OS 10.14.5 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-C™ port

---

## Package content

- Converter
- Protection cover
- User manual

---

## Images



## General

Suitable for data medium:	3.3 V and 5 V 2.5" SSD or HDD height up to 9.5 mm
Supported operating system:	Android 9.0 or above Chrome OS 75.0 or above Linux Kernel 3.3 or above Mac OS 10.14.5 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

Connector 1:	1 x USB Type-C™ male
Connector 2:	1 x SATA 6 Gb/s 22 pin plug

## Technical characteristics

Chipset:	VIA VL715
Data transfer rate:	USB 5 Gbps up to 5 Gb/s SATA up to 6 Gb/s
Voltage:	USB Bus powered (no additional power supply required)

## Physical characteristics

Cable length:	15 cm
Length:	129 mm
Width:	75 mm
Height:	16 mm
Colour:	grey transparent