

Delock Audio Splitter USB Type-C™ to 2 x stereo jack female plastic

Description

This Audio Splitter by Delock allows the connection of two audio output devices, such as headphones or speakers, to a device with a USB Type-C™ or Thunderbolt™ 3 socket. The audio signal is transmitted in stereo to both output devices, e.g. two people can listen to the same music at the same time.

Digital Hi-Res Audio

Thanks to the integrated chipset, the audio signals are transmitted in crystal-clear Hi-Res sound quality.

Note

The USB Type-C™ interface of the device has to support the output of audio signals (USB ADC specification).



Item no. 66563

EAN: 4043619665631

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - 1 x USB Type-C™ male >
 - 2 x 3.5 mm 3 pin stereo jack female
- Chipset: Realtek ALC4042
- USB 2.0 specification
- USB Audio Device Class 1.0 / 2.0 specification
- Supports Digital Hi-Res Audio
- Signal-to-noise ratio (SNR): ca. 98 dB
- Frequency range: 20 Hz - 40 kHz
- Supported sample rates: 16 / 24 / 32 Bit, 44.1 / 48 / 96 / 192 / 384 kHz
(depending on the system and the connected hardware)
- Housing material: plastic
- Contacts gold-plated
- Colour: black
- Dimensions (LxWxH): ca. 36 x 30 x 9 mm
- Cable length without connectors: ca. 15 cm
- Plug & Play

System requirements

- Android 6.0 or above
- iOS 13.4.1 or above
- Linux Kernel 4.3 or above
- Mac OS 10.15.2 or above
- Windows 10/10-64
- Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 port

Package content

- Audio adapter

Images



General

| | |
|-----------------------------|---|
| Specification: | USB 2.0 USB Audio Device Class 1.0 USB Audio Device Class 2.0 |
| Supported operating system: | Android 6.0 or above Linux Kernel 4.3 or above Mac OS 10.15.2 or above Windows 10 32-Bit Windows 10 64-Bit iOS 13.4.1 or above |

Interface

| | |
|--------------|-------------------------------------|
| Connector 1: | 1 x USB 2.0 Type-C male |
| Connector 2: | 2 x 3.5 mm 3 pin stereo jack female |

Technical characteristics

| | |
|---------------------------|--|
| Chipset: | Realtek ALC4042 |
| Sample rate: | 16 / 24 / 32 Bit, 44,1 / 48 / 96 / 192 / 384 kHz |
| Signal noise ratio (SNR): | 98 dB |

Physical characteristics

| | |
|-------------------|-------------|
| Housing material: | Plastic |
| Cable length: | 15 cm |
| Pin finishing: | gold-plated |
| Length: | 36 mm |
| Width: | 30 mm |
| Height: | 9 mm |
| Colour: | black |