

# Delock Cable SATA 6 Gb/s 7 pin receptacle + SATA 15 pin power plug > SATA 22 pin receptacle downwards angled metal 30 cm

### **Description**

This cable by Delock enables the connection of a device with 22 pin SATA interface over a free SATA 7 pin port and a free 15 pin SATA power interface of the power supply. The metal clips on the SATA receptacles ensure that the cable reliably clicks into place.



EAN: 4043619852291 Country of origin: China Package: Zip poly bag

Item no. 85229

# **Specification**

- · Connectors:
  - 1 x SATA 6 Gb/s 7 pin receptacle +
  - 1 x SATA 15 pin power plug >
  - 1 x SATA 6 Gb/s 22 pin receptacle downwards angled
- Data transfer rate up to 6 Gb/s
- Downwards compatible to SATA 1.5 Gb/s and 3 Gb/s
- Voltage: 3.3 V + 5 V + 12 V
- · Cable gauge:
  - 26 AWG data line
  - 18 AWG power line
- Length incl. connectors: ca. 30 cm

### System requirements


- A free SATA 7 pin interface
- A free SATA power plug



# Package content

• SATA cable

# **Images**





### General

| Specification: | SATA 6 Gb/s |  |
|----------------|-------------|--|
|                |             |  |

# Interface

| Connector 1: | 1 x SATA 6 Gb/s 7 pin receptacle  |
|--------------|-----------------------------------|
| Connector 2: | 1 x SATA 15 pin plug              |
| connector 3: | 1 x SATA 6 Gb/s 22 pin receptacle |

# **Technical characteristics**

| Data transfer rate: | 6 Gb/s               |
|---------------------|----------------------|
| Voltage:            | 3.3 V<br>5 V<br>12 V |

# **Physical characteristics**

| Conductor gauge: | 26 AWG data line 18 AWG power line |
|------------------|------------------------------------|
| Length:          | 30 cm                              |