

Delock SATA 6 Gb/s Cable straight to downwards angled 50 cm transparent

Description

This SATA cable by Delock enables the internal connection of various SATA devices, e.g. HDDs, controller cards or Flash memories. It complies with the latest standard and provides a data transfer rate of up to 6 Gb/s. It is downwards compatible to the previous SATA versions, but can then only reach the respective transfer speed. When connecting this cable to a HDD the cable will be lead downwards. The metal clips on the connectors ensure that the cable reliably clicks into place.



50 cm

Item no. 85346

EAN: 4043619853465

Country of origin: China

Package: Zip poly bag

Specification

- Connectors:
 - 1 x SATA 6 Gb/s 7 pin receptacle straight >
 - 1 x SATA 6 Gb/s 7 pin receptacle downwards angled
- With metal clips
- Data transfer rate up to 6 Gb/s
- Downwards compatible to SATA 1.5 Gb/s and 3 Gb/s
- Cable gauge: 26 AWG
- Cable diameter: ca. 4.4 mm
- Colour: transparent
- Length without connectors: ca. 50 cm

System requirements

- A free SATA port

Package content

- SATA cable

Images



General

| | |
|----------------|------------------|
| Specification: | SATA 6 Gb/s |
| Style: | with metal clips |

Interface

| | |
|--------------|---|
| Connector 1: | 1 x SATA 6 Gb/s 7 pin receptacle straight |
| Connector 2: | 1 x SATA 6 Gb/s 7 Pin receptacle downwards angled |

Technical characteristics

| | |
|---------------------|--------|
| Data transfer rate: | 6 Gb/s |
|---------------------|--------|

Physical characteristics

| | |
|------------------|-------------|
| Conductor gauge: | 26 AWG |
| Length: | 50 cm |
| Colour: | transparent |