


# Delock Cable SATA 6 Gb/s 7 pin receptacle + SATA 15 pin power plug > SATA 22 pin receptacle upwards angled metal 30 cm

## Description

This cable by Delock enables the connection of a device with 22 pin SATA interface over a free SATA 7 pin port and a free 15 pin SATA power interface of the power supply. The metal clips on the SATA receptacles ensure that the cable reliably clicks into place.



30 cm

**Item no. 85515**

EAN: 4043619855155

Country of origin: China

Package: Zip poly bag

## Specification

- Connectors:
  - 1 x SATA 6 Gb/s 7 pin receptacle +
  - 1 x SATA 15 pin power plug >
  - 1 x SATA 6 Gb/s 22 pin receptacle upwards angled
- Data transfer rate up to 6 Gb/s
- Downwards compatible to SATA 1.5 Gb/s and 3 Gb/s
- Version with 5 power wires (yellow = 12 V, black = GND, red = 5 V, orange = 3.3 V)
- Voltage: 3.3 V + 5 V + 12 V
- Cable gauge:
  - 26 AWG data line
  - 20 AWG power line
- With gold coloured metal clips
- Length incl. connectors: ca. 30 cm

## System requirements

- A free SATA 7 pin interface
- A free SATA 15 pin power receptacle on the power supply

---

## Package content

- SATA cable

---

## Images



## General

Specification:	SATA 6 Gb/s
----------------	-------------

## Interface

Connector 1:	1 x SATA 6 Gb/s 7 pin receptacle
Connector 2:	1 x SATA 15 pin plug
connector 3:	1 x SATA 6 Gb/s 22 pin receptacle

## Technical characteristics

Data transfer rate:	6 Gb/s
Voltage:	3.3 V 5 V 12 V

## Physical characteristics

Conductor gauge:	26 AWG data line 20 AWG power line
Length:	30 cm