DELOCK®
we move the world

Delock Cable OCuLink PCIe SFF-8611 to U.2 SFF-8639 0.5 m

Description

This OCuLink cable by Delock can be used to connect internal devices, e.g. an SSD with SFF-8639 connector to a controller with OCuLink SFF-8611 connector.

0,5 m

Item no. 85802

EAN: 4043619858026

Country of origin: Taiwan, Republic of China

Package: Zip poly bag

Specification

• Connectors:
  host:
  1 x OCuLink SFF-8611 male
  device:
  1 x U.2 SFF-8639 female
  1 x SATA 15 pin power plug
• Compliant to SFF-9402 specification 1.1
• Supports PCI Express 3.0 protocol
• Data transfer rate up to 32 Gbps
• Impedance: 85 Ohm
• Cable gauge:
  33 AWG data line
  18 + 24 AWG power line
• Cable length incl. connectors:
  data cable ca. 50 cm
  power cable ca. 10 cm

System requirements

• A free OCuLink interface

Package content

• OCuLink cable

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

www.delock.de
85802

2 / 3
11.10.2022

Interface

Connector 1:	1 x OCuLink SFF-8611 male
Connector 2:	1 x U.2 SFF-8639 female

Technical characteristics

Data transfer rate:	up to 32 Gbps

Physical characteristics

Conductor gauge:	33 AWG
Length:	0,50 m