**DELOCK®**
we move the world

Delock PCI Express x4 Card to 4 x RJ45 2.5 Gigabit LAN RTL8125

Description

The PCI Express card by Delock offers **four network ports** with a data transfer rate up to 2500 Mbps.

NBASE-T for higher speed
Modern services and new technologies require higher bandwidths. NBASE-T technology enables speeds of 1 Gbps and **2.5 Gbps** with conventional networking cables. The best possible transmission rate is set automatically.

Item no. 89192

EAN: 4043619891924
Country of origin: China
Package: Box

Specification

- Connectors:
    external: 4 x 2.5 Gigabit LAN RJ45 jack
    internal: 1 x PCI Express x4, V2.1
- Chipset: Realtek RTL8125B
- Data transfer rate:
    Ethernet up to 10 Mbps
    Fast Ethernet up to 100 Mbps
    Gigabit Ethernet up to 1000 Mbps
    NBASE-T with up to 2.5 Gbps
    PCI Express x4 up to 16 Gbps
- Compatible with IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
- Supports Wake On LAN (WOL)
- Supports IEEE 802.1P layer 2 priority encoding
- Supports IEEE 802.3x full duplex flow control
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Supports 16k Jumbo Frames
- Supports PXE
- LED indicator for link and activity

System requirements

- Windows 8.1/8.1-64/10/10-64
- PC with one free PCI Express slot

Package content

- PCI Express card
- Low profile bracket
- Driver CD
- User manual

Images

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

www.delock.de
89192

2 / 3
14.11.2022

General

Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indicator:	power and activity

Interface

External:	4 x Gigabit LAN RJ45 jack
Internal:	1 x PCI Express x4, V2.1

Technical characteristics

Chipset:	Realtek RTL8125B
Data transfer rate:	Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps Gigabit Ethernet up to 2.5 Gbps

Physical characteristics

Slot bracket:	Low Profile standard