


Delock PCI Express Card to 1 x Parallel

Description

The Delock PCI Express card expands a PC by one external parallel port. Different devices such as scanner, printer etc. can be connected to this card. By using the included low profile bracket, the PCI Express card can be also installed into a Mini-PC.



Item no. 89445

EAN: 4043619894451

Country of origin: China

Package: Retail Box

Special features

- This PCIe card is Windows Server 2019 WHQL certified

Specification

- Connector:
external: 1 x Parallel DB25 female
internal: 1 x PCI Express x1, V2.0
- Chipset: SUN2212
- Data transfer rate up to 1.8 MB/s
- FIFO: 16 byte
- SPP, EPP, ECP, BPP compatible to IEEE 1284
- Windows WHQL certified


System requirements

- Windows 7/7-64/8/8-64/8.1/8.1-64/10/10-64/11, Windows Server 2012 / 2016 / 2019
- PC with one free PCI Express slot

Package content

- PCI Express card
 - Low profile bracket
 - Driver CD
 - User manual
-

Images



General

Form factor:	Low Profile
Specification:	IEEE1284 SPP, EPP, ECP, BPP
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8 32-bit Windows 8 64-bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2012 R2 Windows Server 2012 Windows Server 2016 Windows 11
Slot:	PCIe

Interface

External:	1 x Parallel DB25 female
Internal:	1 x PCI Express x1, V2.0

Technical characteristics

Chipset:	SUN2212
Data transfer rate:	1,8 MB/s
FIFO:	16 byte
Operating temperature:	0 °C ~ 60 °C
Humidity:	5 ~ 95 %
Data transmission:	Bi-directional

Physical characteristics

Slot bracket:	Low Profile standard
Length:	69 mm
Width:	65 mm
Height:	11 mm