


Delock PCI Express x4 Card 2 x RJ45 Gigabit LAN i350

Description

The PCI Express card by Delock offers two network ports with a data transfer rate up to 1000 Mbps.



Item no. 89945

EAN: 4043619899456

Country of origin: China

Package: Box

Specification

- Connectors:
external: 2 x Gigabit LAN RJ45 jack
internal: 1 x PCI Express x4, V2.1
- Chipset: Intel i350
- Data transfer rate:
Ethernet up to 10 Mbps
Fast Ethernet up to 100 Mbps
Gigabit Ethernet up to 1000 Mbps
PCI Express x1 up to 4 Gbps
- Supports IEEE 802.3 / 802.3u / 802.3ab
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports Wake On LAN (WOL)
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Supports 9k Jumbo Frames
- Supports PXE

System requirements


- Linux Kernel 2.6 or above

- Windows 7/7-64/8.1/8.1-64/10/10-64
- Windows Server-2012 R2/Server 2016
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

Package content

- PCI Express card
- Low profile bracket
- Driver CD
- User manual

Images



General

| | |
|-----------------------------|--|
| Supported operating system: | Linux Kernel 2.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2012 R2 Windows Server 2016 |
|-----------------------------|--|

Interface

| | |
|-----------|---------------------------|
| External: | 2 x Gigabit LAN RJ45 jack |
| Internal: | 1 x PCI Express x4, V2.1 |

Technical characteristics

| | |
|---------------------|---|
| Chipset: | Intel® i350 |
| Data transfer rate: | Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps |

Physical characteristics

| | |
|---------------|-------------------------|
| Slot bracket: | Low Profile standard |
|---------------|-------------------------|