


Delock USB 3.0 PCI Express Card to 4 x external Type-A + 2 x internal Pin Header

Description

This PCI Express card by Delock expands the PC by four external USB 3.0 ports as well as two internal USB 3.0 ports. Different USB devices, such as docking stations, card readers, external enclosures etc., can be connected to the card.

Delock 8 Port USB 3.0 PCIe card

Up to four USB devices can be connected to the internal USB 3.0 pin header connectors simultaneously. Thus, together with the external ports, the card provides max. eight USB 3.0 ports.



Item no. 90306

EAN: 4043619903061

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - external:
 - 4 x USB 3.0 Type-A female
 - internal:
 - 2 x 19 pin USB 3.0 pin header male
 - 1 x SATA 15 pin power connector
 - 1 x PCI Express x4, V2.0
- Chipset: Asmedia ASM1042A, Pericom PI7C9X2G608GP
- Data transfer rate up to:
 - SuperSpeed 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1.5 Mbps
- Electrical power per port: max. 4.5 watt (5 V / 900 mA)


System requirements

- Linux Kernel 3.17 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC with one free PCI Express x4 / x8 / x16 / x32 slot
- Power supply with a free SATA power connector

Package content

- PCI Express card USB 3.0
- Driver CD
- User manual

Images



General

Supported operating system:	Linux Kernel 3.17 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
-----------------------------	--

Interface

Connector 1:	4 x USB 5 Gbps Type-A female
Connector 2:	1 x SATA 15 pin plug
connector 3:	1 x PCI Express x4, V2.0
connector 4:	2 x 19 pin USB 5 Gbps pin header male

Technical characteristics

Chipset:	Asmedia ASM1042A, Pericom PI7C9X2G608GP
Data transfer rate:	up to 5 Gbps

Physical characteristics

Slot bracket:	standard
---------------	----------