

Delock USB Type-C™ Card Reader for XQD 2.0 memory cards

Description

The card reader by Delock can be used for reading and writing XQD memory cards. The card reader can be connected to a PC or laptop via the USB Type-CTM interface.



Item no. 91746

EAN: 4043619917464 Country of origin: China Package: Retail Box

Specification

- Connectors:
 - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-CTM male >
 - 1 x XQD 2.0 slot
- Push to push XQD socket
- For XQD memory cards based on USB
- Data transfer rate up to:

SuperSpeed USB 5 Gbps,

Hi-Speed 480 Mbps,

Full-Speed 12 Mbps,

Low-Speed 1.5 Mbps

- Housing material: aluminium
- Dimensions without cable (LxWxH): ca. 58.1 x 50.7 x 10.3 mm
- Cable length without connectors: ca. 8 cm
- · Colour: anthracite
- Plug & Play

System requirements






- Linux Kernel 2.6 or above
- Mac OS 10.9 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- $\bullet\,$ PC or laptop with a free USB Type-CTM or Thunderbolt TM 3 port

Package content

Card reader USB Type-C[™] to XQD

Images







General

Function:	Plug & Play
Specification:	USB 5 Gbps
Supported operating system:	Linux Kernel 2.6 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
Slot:	Push to push
Supported memory card:	XQD XQD 2.0

Interface

Output:	1 x XQD 2.0 slot
Input:	1 x USB 5 Gbps USB Type-C™ male

Technical characteristics

USB 5 Gbps up to 5 Gb/s Data transfer rate:

Physical characteristics

Housing colour:	anthracite
Housing material:	Aluminium
Cable length:	8 cm
Length:	58.1 mm
Width:	50.7 mm
Height:	10.3 mm