

Delock DisplayPort 1.2 Repeater 4K 60 Hz

Description

This DisplayPort repeater by Delock can be used for signal enhancement of a DisplayPort connection up to 40 m. An up to 20 m long cable can be connected from a PC or laptop to the input port of the repeater, and on the other side an up to 20 m long cable to the output port of the repeater, which is then connected to a display or TV. The output is dual-mode capable (DP++), so that HDMI monitor can be connected with suitable adapters.

Note

When using a 20 pin DisplayPort cable at the output, the repeater can be powered by the display.



Item no. 11464

EAN: 4043619114641 Country of origin: Taiwan, Republic of China Package: Retail Box

Specification

Connectors:

Input:

1 x DisplayPort 20 pin female

1 x DC 5 V power connector

Output:

1 x DisplayPort 20 pin female

- DisplayPort 1.2 specification
- Supports HBR2 (5.4 Gbps) data rate
- DisplayPort output supports Dual Mode DP++
- Audio input formats: 7.1 channel up to 192 kHz sample rate
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Resolution and maximum cable length: 3840 x 2160 @ 60 Hz / 5 m in, 5 m out 3840 x 2160 @ 30 Hz / 15 m in, 20 m out 2560 x 1600 @ 60 Hz / 20 m in, 20 m out
- Colour: black
- Dimensions (LxWxH): ca. 55 x 54 x 20 mm



Power supply specification

- Wall power supply
- Input: AC 100 \sim 240 V / 50 \sim 60 Hz / 0.2 A
- Output: 5 V / 1 A
- Ground outside, plus inside
- Dimensions: inside: ø ca. 1.35 mm outside: ø ca. 3.5 mm Länge: ca. 7 mm

System requirements

- A free DisplayPort port on your system and display
- DisplayPort connection cables

Package content

- DisplayPort repeater
- External power supply
- User manual

Images





General

Specification:	DisplayPort 1.2a
Interface	
Output:	1 x DisplayPort female
Input:	1 x DisplayPort female 1 x 5 V DC jack 3.5 mm x 1.35 mm

Technical characteristics

Maximum screen resolution:

Physical characteristics

Housing colour:	black
Housing material:	Plastic
Length:	55 mm
Width:	54 mm
Height:	20 mm

Power supply

Туре:	Euro wall power supply
Input:	AC 100 - 240 V / 50 - 60 Hz / 0.2 A
Output:	5 V / 1 A
Connector:	DC male 3.5 mm x 1.35 mm