

Delock Ergonomic USB Mouse - wireless

Description

This wireless mouse by Delock is connected to the computer via the compact USB receiver. During transport it can be placed inside a compartment at the bottom of the mouse. The 2.4 GHz wireless technology provides a maximum operating range of up to 20 meters.



Item no. 12598

EAN: 4043619125982 Country of origin: China Package: Retail Box

Specification

- Connector: 1 x USB 2.0 Type-A male
- Compact nano USB receiver
- For right handers
- 3 power saving modes
- 2 standard buttons, 1 scroll wheel
- 1 x On / Off switch
- Polling rate: 250 Hz
- Sensitivity: 1600 dpi
- Bandwidth: 2.4 GHz, operating range up to 20 m
- Operating temperature: 0 °C ~ 40 °C
- Operating humidity: $\leq 85~\%$
- Current consumption: max. 12 mA
- Plug & Play
- Battery: 1 x AA (included in the package content)
- Dimensions (LxWxH): Mouse: ca. 116.00 x 77.00 x 48.27 mm USB receiver: ca. 19.0 x 14.5 x 6.5 mm
- Weight:

Mouse (incl. battery): ca. 85 g USB receiver: ca. 2 g



• Colour: black / red

System requirements

- Linux Kernel 2.6 or above
- Mac OS 10.9 or above
- Windows Vista/7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- Mouse
- USB receiver
- 1 x AA battery
- User manual

Images





General

| Function: | Plug & Play |
|-----------|---------------|
| Style: | Right handers |

Interface

| connector: | 1 x USB 2.0 Type-A male |
|------------|-------------------------|
| | |

Technical characteristics

| Bandwidth: | 2,4 GHz |
|------------------------|--------------|
| Operating temperature: | 0 °C ~ 40 °C |
| Humidity: | ≤ 85 % |
| Battery type: | 1 x AA |
| Operating range: | 20 m |
| Current consumption: | 12 mA |
| Sensibility: | 1600 dpi |
| Power saving modes: | 3 |
| Polling rate: | 250 Hz |

Physical characteristics

| Weight: | 85 g |
|----------|------------------------------------|
| Length: | 116 mm |
| Width: | 77 mm |
| Height: | 48,27 mm |
| Colour: | black / red |
| Buttons: | 4 standard buttons, 1 scroll wheel |