

Delock HDMI Splitter 1 x HDMI in to 8 x HDMI out 4K 60 Hz with downscaler

Description

This splitter by Delock receives an HDMI signal from a PC or laptop and splits it to eight connected displays. Thereby **one HDMI connection** can be used to operate **eight HDMI monitors**.

Downscaler

If a monitor does not support the high resolution, the image can be scaled from 4K to 1080p with the integrated downscaler.



Item no. 18654

EAN: 4043619186549

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - Input:
 - 1 x HDMI-A female
 - 1 x 5 V DC jack 5.5 x 2.1 mm
 - Output:
 - 8 x HDMI-A female
- Supports EDID management
- High Speed HDMI specification
- Supports 3D displays
- Supports HDR
- Supports HDCP 1.4 and 2.2
- Function: Mirrored
- Transmission of audio and video signals
- Supports all common 2.0 and 5.1 audio formats: LPCM, Dolby Digital, DTS Audio
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Video bandwidth up to 600 MHz / 6 Gbps per channel, max. 18 Gbps
- Power consumption: max. 2.5 W
- Robust metal housing
- Colour: black

- Dimensions (LxWxH): ca. 228 x 84 x 15 mm

Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 0.4 A
- Output: 5.0 V / 2.0 A / 10.0 W
- Ground outside, plus inside
- Dimensions:
 - inside: \varnothing ca. 2.1 mm
 - outside: \varnothing ca. 5.5 mm
 - length: ca. 9 mm

System requirements

- HDMI cable

Package content

- HDMI Splitter
- Power supply
- User manual

Images



General

Specification:	High Speed HDMI HDCP 1.4 HDCP 2.2
----------------	---

Interface

Output:	8 x HDMI-A female
Input:	1 x 5 V DC female 5,5 mm x 2,1 mm 1 x HDMI female

Technical characteristics

Maximum screen resolution:	3840 x 2160 @ 60 Hz
Video bandwidth:	600 MHz / 6 Gbps

Physical characteristics

Housing colour:	black
Housing material:	metal
Length:	228 mm
Width:	84 mm
Height:	15 mm