

# Delock External Enclosure for Ultra Slim SATA Drives 9.5 mm > USB Type-C™ female

## Description

This enclosure by Delock is an external solution for different Ultra Slim SATA drives with 9.5 mm height e.g. DVD-ROM, DVD±RW, Blu-ray etc. The enclosure can be connected either to a USB Type-A or USB Type-C™ port by using the included cables.



**Item no. 42595**

EAN: 4043619425952

Country of origin: China

Package: Retail Box

## Specification

- Connectors:  
external:  
1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ female  
1 x 5 V DC jack 4.6 x 1.6 mm  
internal:  
1 x Slim SATA 13 pin plug
- Chipset: Asmedia ASM1153E
- For Ultra Slim SATA drives up to 9.5 mm height
- Data transfer rate up to 5 Gbps
- Supports DVD±RW, DVD-ROM, CD-RW, CD-ROM, Blu-ray
- Hot Swap, Plug & Play
- Humidity: 10 ~ 90 %
- Operating temperature: 0 °C ~ 40 °C
- Storage temperature: -10 °C ~ 60 °C
- Housing material: plastic
- Colour: black
- Dimensions (LxWxH): ca. 145.6 x 133.0 x 14.0 mm
- OS independent, no driver installation necessary

## System requirements

- PC or laptop with a free USB Type-A port or
- PC or laptop with a free USB Type-C™ port

## Package content

- External enclosure
- Cable USB Typ-A male to USB-C™ male, length ca. 50 cm
- Cable USB-C™ male to USB-C™ male, length ca. 50 cm
- Screws
- 6 x rubber feet
- User manual

## Images



## General

Function:	Hot Swap Plug & Play
Supported operating system:	OS independent, no driver installation necessary

## Interface

External:	1 x 5 V DC jack 4.6 x 1.6 mm 1 x USB 5 Gbps USB Type-C™ female
Internal:	1 x Slim SATA 13 pin male

## Technical characteristics

Chipset:	Asmedia ASM1153E
----------	------------------

## Physical characteristics

Housing material:	Plastic
Length:	145.6 mm
Width:	133 mm
Height:	14 mm
Colour:	black