

Delock Vanjsko kućište za 2 x 2.5" SATA HDD / SSD s RAID + 3 ulaza USB 3.0 konzentradorom

Opis

Aluminijsko kućište tvrtke Delock omogućava instalaciju do dva 2.5" SATA HDD-a / SSD-a. Pri uporabi više SSD-a može se koristiti neka druga RAID razina. Osim toga, kućište ima USB 3.0 konzentrador s 3 ulaza sprijeda. Kućište se može povezati na osobno ili prijenosno računalo pomoću USB Tipa-A.



Napomena

Ako ukopčate ili iskopčate uređaj tijekom rada, može zahtijevati ponovno priključivanje svih drugih priključenih uređaja.

Tehnički podaci

- Priključak:
vanjski:
stražnja strana:
1 x USB 3.0 Tipa-B, ženski
1 x DC 12 V priključak za napajanje
prednja strana:
2 x USB 3.0 Tip-A ženski
1 x USB 3.0 Tip-A ženski - specifikacija BC1.2 za punjenje baterije
unutarnji:
2 x 22-pinski SATA 6 Gb/s, ženski
- Skup čipova: VIA VL813, JMicron JMS561
- Brzina prijenosa podataka do:
SuperSpeed USB 5 Gbps,
Hi-Speed 480 Mbps,
Full-Speed 12 Mbps,
Low-Speed 1,5 Mbps
- Podržava RAID 0, RAID 1, JBOD, multiplikator priključaka
- LED indikator za napajanja, pristupa i RAID modusa
- 1 x sklopka za uključivanje / isključivanje
- 1 x sklopka za uključivanje / isključivanje ventilatora
- 1 x Gumb za vraćanje postavki
- 1 x DIP sklopka za RAID modus
- Metalno kućište
- Boja: crno
- Mjere (DxŠxV): oko 135 x 99 x 59 mm
- Utikač pod naponom, pripremljen za rad

Podaci o električnom napajanju

- Napajanje iz zidne utičnice
- Ulaz: AC 100 ~ 240 V / 50 ~ 60 Hz / 0,6 A
- Izlaz: 12 V / 2 A
- Uzemljenje izvana i iznutra
- Mjere:
iznutra: \varnothing oko 2,1 mm
izvana: \varnothing oko 5,5 mm
duljina: oko 9,5 mm

Predmet br. 42606

EAN: 4043619426065

Zemlja podrijetla: China

Pakiranje: Retail Box



Preduvjeti sustava

- Chrome OS
- Linux Kernel 3.3 ili noviji
- Mac OS 10.13.6 ili noviji
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Osobno ili prijenosno računalo sa slobodnim USB Tipa-A priključkom

Sadržaj pakiranja

- Vanjski Kućište
- 1 x kabel USB 3.0 A muški prema USB 3.0 B muškome, duljina oko 1 m
- Napajanje
- Vijci
- Korisnički priručnik

Slike





General	
Function:	Battery Charging BC1.2 Hot Plug Plug & Play
Suitable for data medium:	2.5"
Supported operating system:	Chrome OS Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Linux Kernel 3.3 o superiore Mac OS 10.13.6 o superiore
Interface	
External:	1 x USB 3.0 Type-B female 1 x DC 12 V power connector 2 x USB 3.0 Type-A female 1 x USB 3.0 Type-A female - Battery Charging specification BC1.2
Internal:	2 x SATA 22 Pin Buchse
Technical characteristics	
Chipset:	VIA VL813 JMicron JMS561
RAID function:	JBOD 0 1 Port Multiplier
Physical characteristics	
Materiale custodia:	metal
Lunghezza:	135 mm
Width:	99 mm
Height:	59 mm
Colour:	nero