

Delock External Enclosure for 5.25" Slim SATA Drives 12.7 mm to SuperSpeed USB 5 Gbps Type-A male

Description

This enclosure by Delock is an external solution for different **Slim SATA drives with 12.7 mm height**, e.g. DVD-ROM, DVD±RW, Bluray etc. Thus the built-in drive will be converted into a mobile drive. For the installation of the drive, no tools are needed. The enclosure is connected to the computer or laptop via the **USB Type-A plug**.



Item no. 42636

EAN: 4043619426362 Country of origin: China Package: Retail Box

Specification

Connectors:

external:

1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A male 1 x USB 2.0 Type Micro-B female (optional for power supply) internal: 1 x Slim SATA 13 pin receptacle

- Chipset: Initio INIC-3619
- For Slim SATA drives with 12.7 mm height
- Supports DVD±RW, DVD-ROM, CD-RW, CD-ROM, Blu-ray
- Hot Swap, Plug & Play
- Housing material: plastic
- Colour: black
- Cable length: ca. 25 cm
- Dimensions (LxWxH): ca. 150 x 146 x 19 mm

System requirements

Chrome OS

DATASHEET



- Linux Kernel 5.13 or above
- Mac OS 11.2.1 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-A port

Package content

- External enclosure
- Universal front panel
- User manual

Images





General

| Function: | Hot Swap Plug & Play |
|-----------------------------|---|
| Supported operating system: | Chrome OS Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11 Linux Kernel 5.13 or above Mac OS 11.2.1 or above |

Interface

| External: | 1 x USB 5 Gbps Type-A male 1 x USB 2.0 Type Micro-B female (optional for power supply) |
|-----------|---|
| Internal: | 1 x Slim SATA 13 pin receptacle |

Technical characteristics

| Chipset: | Initio INIC-3619 |
|---------------------|------------------|
| Data transfer rate: | 5 Gbps |

Physical characteristics

| Housing material: | Plastic |
|-------------------|---------|
| Length: | 150 mm |
| Width: | 146 mm |
| Height: | 19 mm |
| Colour: | black |