

Delock SATA 6 Gb/s CFast Flash Card 128 GB wide temperature range

Description

This Delock CFast Flash Card supports the new CFast 2.0 standard and allows even higher data transfer rates than memory cards of the previous CFast generation. It is therefore ideally suited not only for professional usage in photography, but also for all other applications that require fast read and write speeds. CFast 2.0 memory cards use the SATA 6 Gb/s protocol and convince with lower power consumption.



128 GB

Item no. 54562

EAN: 4043619545629 Country of origin: Taiwan, Republic of China Package: Retail Box

Specification

- Capacity: 128 GB
- Memory chip: Toshiba MLC, 2 channels
- Controller: ID107
- CFast 7+17pin interface / SATA 6 Gb/s
- Supports CFast 2.0
- Operating voltage: 3.3 V
- Operating temperature: -40 °C ~ +85 °C
- Storage temperature: -55 °C ~ +95 °C
- Endurance: Write / Erase: > 3,000 cycles Read: unlimited
- Supports Write Protect, ATA Security and SMART (Self-Monitor Analysis and Reporting Technology)
- 290 MB/s read, 130 MB/s write
- Power consumption: 1.1 W (max.)
- Current demand: Read: 240 mA
 Write: 320 mA
 Idle: 110 mA

DATASHEET



- MTBF: > 3.000.000 hrs.
- Vibration: 20 G, 7 ~ 2000 Hz
- Shock: 1,500 G / 0.5 ms
- Dimension (LxWxH): ca. 36.4 x 42.8 x 3.6 mm

System requirements

CFast slot

Package content

· CFast memory card