
Delock SO-DIMM DDR3L 2 GB 1600MHz 1,35 V / 1,5 V Industrial

Description

This SO-DIMM by Delock is due to its construction most suitable for laptops and industrial PCs. Furthermore it supports an operation with 1.35 V (low voltage) and 1.5 V.



2 GB

Item no. 55803

EAN: 4043619558032

Country of origin: Taiwan, Republic of China

Package: Box

Specification

- Storage capacitiy: 2 GB
- Pin: 204 pin
- Chipset: Samsung - low voltage
- Assembly: 256Mx8
- Frequency: 1600/1333/1066 MHz
- Module Speed: PC3-12800
- Function: Unbuffered - Non ECC
- Band width: 64 Bits
- Voltage: 1.35 V / 1.5 V
- Operating temperature: 0 °C - 85 °C

System requirements

- A free SO-DIMM socket with 204 pin

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

Package content

- SO-DIMM

Images





© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

Interface

DDR 3:	SO-DIMM

Technical characteristics

Buswidth:	64 bit
Assembly:	256Mx8
Chipset:	Samsung
Frequency:	1600 MHz
Operating temperature:	0 °C ~ 85 °C
Module speed:	PC3 - 12800
Pin:	204
Voltage:	1.35 V 1,5 V
Capacity:	2 GB

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.