

Delock M12 T-Splitter A-coded 4 pin 1 x female to 2 x female parallel connection

Description

This industrial T-splitter by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.



Item no. 60579

EAN: 4043619605798 Country of origin: China Package: Zip poly bag

Specification

- Connectors:
 - 1 x M12 A-coded 4 pin female
 - 2 x M12 A-coded 4 pin female
- Housing material: PVC
- Contacts gold-plated
- Operating voltage: max. 250 V
- Current: max. 4 A
- Operating temperature: -25 °C ~ 85 °C
- Protection class: IP67
- Thread size: M12 x 1.0 mm
- Colour: black
- Dimensions (LxWxH): ca. 51 x 43 x 13 mm

System requirements

• Three free M12 plug



Package content

• T-splitter

Images





Interface

| Connector 1: | 1 x M12 female |
|--------------|----------------|
| Connector 2: | 2 x M12 female |

Technical characteristics

| Operating voltage: | 250 V |
|----------------------|-------|
| Current consumption: | 4 A |

Physical characteristics

| Housing material: | PVC |
|-------------------|-------|
| Length: | 51 mm |
| Width: | 43 mm |
| Height: | 13 mm |
| Colour: | black |
| Thread type: | M12 |