

# Delock Prilagodnik USB 2.0 Tip-A > 1 x serijski DB9 RS-232 + prilagodnik DB25

## Opis

Ovaj Delock prilagodnik omogućuje povezivanje serijskog uređaja putem USB Tip-A priključka.



1,8 m

### Predmet br. 61308

EAN: 4043619613083

Zemlja podrijetla: China

Pakiranje: Retail Box

## Tehnički podaci

- Priključak:
  - Kabel:
    - 1 x USB 2.0 Tip-A muški >
    - 1 x serijska muška RS-232 DB9
  - Adapter:
    - 1 x serijska ženski RS-232 DB9 >
    - 1 x serijska muška RS-232 DB25
- Skup čipova: FTDI
- Serijski priključak sa vijkom
- Brzina prijenosa podataka: više od 1 Mbps
- Duljina kabela: oko 1,8 m


## Preduvjeti sustava

- Windows Vista/Vista-64/7/7-64/8.1/8.1-64/10/10-64
- Osobno ili prijenosno računalo sa slobodnim USB priključkom

## Sadržaj pakiranja

- USB 2.0 na 1 x serijski adapter
- Adapter DB9 na DB25
- CD s upravljačkim programom
- Korisnički priručnik

## Slike



## General

Funkcija:	Plug & Play
Tehnički podaci:	RS-232 (EIA / TIA) USB 1.1 USB 2.0
Supported operating system:	Linux Kernel 2.6 ili noviji Mac OS 10.9 ili noviji Windows 10 32-bit Windows 10 64-bit Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows Server 2008 R2 Windows Server 2012 R2 Windows Server 2012 Windows Server 2016

## Interface

Priključak 1:	1 x USB 2.0 Tipa-A, muški
Priključak 2:	1 x Serial RS-232 DB9 male

## Technical characteristics

Skup čipova:	FTDI FT232RL
Brzina prijenosa podataka:	up to 921.6 Kbps
FIFO:	128 byte 256 Byte
Signal transmission:	TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND
Data transmission:	asynchronous full duplex
Current consumption:	20 mA
UART:	USB to serial UART

## Physical characteristics

Boja kabela:	transparent
Cable length incl. connector:	1,8 m
Površinska zaštita kontakata:	pozlaćeni
Vrsta vijka:	#4-40 UNC
Shielding:	double
Boja:	crni