

# Delock Adaptor USB 2.0 Tip-A la 1 x Serial RS-232 D-Sub 9 pini tată cu piulițe

## Descriere scurta

Acest adaptor USB 2.0 Tip-A la serie de la Delock oferă un port RS-232 pentru contoare, sisteme POS, imprimante, modemuri, dispozitive IoT etc. Cablul USB poate fi folosit opțional ca extensie.



80 cm

**Nr. 61506**

EAN: 4043619615063

Țara de origine: China

Pachet: Retail Box

## Specification

- Conectori:
  - 1 x USB 2.0 Tip-A tată >
  - 1 x RS-232 seriale DB9 tată, cu piulițe
- Chipset: FTDI FT232RL
- Compatibil cu USB 3.0, USB 2.0, și USB 1.1
- Semnale: TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND
- Rată de transfer a datelor de până la 921,6 Kbps
- Lungime cablu, inclusiv coneciores: cca. 80 cm
- Culoare: negru


## Cerinte de sistem

- Linux Kernel 5.8.0 sau superior
- Mac OS 11.4 sau superior
- Windows 8.1/8.1-64/10/10-64/11
- Windows Server 2016/Windows Server 2019
- PC sau laptop cu un port USB Tip-A liber

## Pachetul contine

- USB 2.0 la 1 x seriale adaptoare
- Cablu de extensie USB 2.0
- CD cu drivere
- Manual de utilizare

## Imagini



## General

Function:	Plug & Play
Specification:	USB 2.0
Supported operating system:	Linux Kernel 2.6 sau superior Mac OS 10.11 sau superior Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows Server 2016 Windows Server 2019 Windows 11
Protection:	ESD (Electrostatic Discharge)

## Interface

connector:	1 x conector tată USB 2.0 Tip-A
Conector 2:	1 x Serial RS-232 DB9 male

## Technical characteristics

Chipset:	FTDI 232R
Data transfer rate:	up to 921.6 Kbps
Data transmission:	asynchronous Bi-directional full duplex
UART:	USB to serial UART

## Physical characteristics

Cable length incl. connector:	80 cm
Tipul șurubului:	#4-40 UNC
Colour:	negru