

## Delock 3.5" Front Panel > 2 x USB 3.0 + 2 x USB 2.0

### Description

This front panel by Delock can be installed into a free 3.5" bay of a computer. It has two USB 3.0 and two USB 2.0 ports. It will be connected to the motherboard internally via two pin header male ports.



### Specification

- Connector:
  - external:
    - 2 x USB 3.0 Type-A female
    - 2 x USB 2.0 Type-A female
  - internal:
    - 1 x 19 pin USB 3.0 pin header female port on the cable
    - 1 x 9 pin USB 2.0 pin header male
    - 1 x 4 pin power connector
- Data transfer rate up to:
  - SuperSpeed 5 Gbps,
  - Hi-Speed 480 Mbps,
  - Full-Speed 12 Mbps,
  - Low-Speed 1.5 Mbps
- Cable data:
  - 1 x 19 pin USB 3.0 pin header female cable ca. 60 cm (incl. connector)
  - 1 x 9 pin USB 2.0 pin header female cable ca. 62 cm (incl. connector)
- 3.5" metal frame
- Colour: black
- Hot Swap, Plug & Play
- OS independent, no driver installation necessary

### System requirements

- PC with one free 3.5" bay
- Mainboard with a free 19 pin USB 3.0 pin header male
- Mainboard with a free 9 pin USB 2.0 pin header male
- Power supply with a free 4 pin power connector

### Package content

- 3.5" front panel
- USB 2.0 pin header female cable
- Screws
- User manual

### Item no. 62701

EAN: 4043619627011

Country of origin: China

Package: • Retail Box



Images



General	
Form factor:	3.5"
Function:	Hot Swap Plug & Play
Supported operating system:	OS independent, no driver installation necessary
Interface	
External:	2 x USB 3.0 Type-A female 2 x USB 2.0 Type-A female
Internal:	1 x 4 pin power connector 1 x 19 pin USB 3.0 pin header female 1 x 9 pin USB 2.0 pin header male
Technical characteristics	
Data transfer rate:	USB 3.0 up to 5 Gb/s USB 2.0 up to 480 Mb/s
Physical characteristics	
Housing material:	metal
Colour:	black