


Delock Converter M.2 Key B+M male to 2 x USB 5 Gbps Pin Header

Description

This converter by Delock expands the system by two USB 5 Gbps pin header male. The converter has a length of 80 mm, it can be shortened by the predetermined breaking point to 60 mm.



Item no. 62843

EAN: 4043619628438

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x M.2 key B+M male
 - 2 x 19 pin USB 5 Gbps pin header male
 - 1 x Floppy 4 pin power plug
- Chipset: Renesas
- Interface: PCIe
- Form factor: M.2 2280 (2260)
- Suitable for M.2 slot with key M or B+M based on PCIe
- Data transfer rate up to 5 Gbps
- Bootable
- Dimensions (LxWxH): ca. 82 x 22 x 14 mm

System requirements



- Linux Kernel 3.16 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- A free M.2 key M slot

- Power supply with a free 4 pin power connector

Package content

- Converter
- Power cable
- Driver CD
- User manual

Images



General

| | |
|--------------|----------------------|
| Form factor: | M.2 2260 M.2 2280 |
| Slot: | PCIe |

Interface

| | |
|--------------|--|
| Connector 1: | 1 x 59 pin M.2 key B+M male |
| Connector 2: | 2 x 19 pin USB 5 Gbps pin header male |
| connector 3: | 1 x 4 pin pin header power connector (optional for power supply) |

Technical characteristics

| | |
|---------------------|--------------|
| Chipset: | Renesas |
| Data transfer rate: | up to 5 Gbps |

Physical characteristics

| | |
|---------|-------|
| Length: | 82 mm |
| Width: | 22 mm |
| Height: | 14 mm |

Herstellerinformation

| | |
|----------|-------------------|
| Strasse | Beeskowdamm 13/15 |
| PLZ | 14167 |
| Ort | Berlin |
| Land | Deutschland |
| E-Mail | info@delock.de |
| Webseite | www.delock.de |