

Delock Stolni razdjelnik s 3 priključka USB 3.0 + 2 utora za čitač SD kartica

Opis

Ovaj Delock razdjelnik može se ugraditi u postojeće mjesto na stolu s promjerom od 60 ili 80 mm za provođenje kabela za monitor, tipkovnicu i miša. U isto vrijeme, razdjelnik nudi tri ženska priključka USB Tipa-A i jedan SD čitač kartica s dva utora. Prijenos podataka i izvor napajanja zajamčeni su pomoću jednog USB 3.0 Tipa-A muškog i jednog USB 2.0 Tipa-A ženskog priključka. Udaljenost između slobodnih konektora može biti najviše 20 cm, zato što su dva kabela međusobno povezani.



Tehnički podaci

- Priključak:
gornja strana:
3 x USB 3.0 Tip-A ženski
1 x SD utor
1 x Micro SD utor
donja strana:
1 x USB 3.0 Tipa-A, muški
1 x USB 2.0 Tipa-A muški (dovod napajanja)
- Skup čipova: VL813, GL3233
- Brzina prijenosa podataka do:
SuperSpeed USB 5 Gbps,
Hi-Speed 480 Mbps,
Full-Speed 12 Mbps,
Low-Speed 1,5 Mbps
- Čitač kartica podržava sljedeće memorijske kartice:
1. Utor za Secure Digital
SD, SD Pro, SD High Capacity (SDHC), SD Ultra, SDHC Ultra, SDXC, SDXC Ultra, MMC-I, MMC-II, MMC 4.0, Mini SD, Mini SDHC, MMCmobile, RS-MMC, RS-MMC 4.0
2. Utor za Micro Secure Digital
Micro SD, Micro SDHC, Micro SDHC Ultra, T-Flash, MMCmicro
- Promjer za ugradnju: 60 mm / 80 mm
- Dubina za ugradnju: 35 mm
- Duljina kabela: oko 95 cm
- Plug & Play

Preduvjeti sustava

- Linux Kernel 2.6 ili noviji
- Mac OS 10.9 ili noviji
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Osobno ili prijenosno računalo s dva slobodna USB Tipa-A priključkom
- Proizvod od 60 mm i 80 mm otvor u stolu

Sadržaj pakiranja

- Stolni razdjelnik s čitačem kartica
- 60 mm prsten
- 80 mm prsten
- Korisnički priručnik

Predmet br. 62869

EAN: 4043619628698

Zemlja podrijetla: China

Pakiranje: Retail Box





Slike





General

Function:	Plug & Play
Supported operating system:	Mac OS 10.9 o superiore Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Linux Kernel 2.6 o superiore
Supported memory card:	Micro SD Micro SDHC Micro SDXC SD SDHC SDXC T-Flash MMCmicro miniSD MMC RS-MMC MMC-I MMC-II MMC 4.0 MMCmobile RS-MMC 4.0

Interface

Top side:	1 x Micro SD slot 1 x SD slot 3 x USB 3.0 Type-A female
Bottom side:	1 x USB 3.0 Type-A male 1 x USB 2.0 Type-A male (power supply)

Technical characteristics

Chipset:	VL813 GL3233
Data transfer rate:	5 Gbps

Physical characteristics

Cable length:	95 cm
Depth:	35 mm
Diameter:	80 mm 60 mm