

# Delock Cable voltage converter SATA 15 pin plug 5 V > SATA 15 pin receptacle 3.3 V + 5 V

#### Description

Some devices, as e.g. 1.8" SATA SSDs, require an operating voltage of 3.3 V. This voltage converter by Delock is for the connection to a SATA receptacle on a power supply and converts the voltage from 5 V to 3.3 V and 5 V.



ca. 30 cm

#### Item no. 62874

EAN: 4043619628742 Country of origin: China Package: Poly bag

### **Specification**

Connectors:

Input:

1 x SATA 15 pin plug >

Output:

1 x SATA 15 pin receptacle

Voltage:

SATA 15 pin plug 5 V

SATA 15 pin receptacle 3.3 V + 5 V

- Maximum output current: 2.0 A
- Cable gauge: 18 AWG
- Length without connectors: ca. 30 cm

## System requirements

A free SATA receptacle on the power supply



## Package content

• Cable voltage converter

## **Images**







## Interface

| Connector 1: | 1 x SATA 15 pin plug       |
|--------------|----------------------------|
| Connector 2: | 1 x SATA 15 pin receptacle |

## **Technical characteristics**

| Maximum current: | 2 A          |
|------------------|--------------|
| Voltage:         | 3.3 V<br>5 V |

## **Physical characteristics**

| Conductor gauge: | 18 AWG |
|------------------|--------|
| Length:          | 30 cm  |