

# Delock Adapter USB Type-C™ male > VGA female (DP Alt Mode)

## Description

This Delock adapter is suitable for the connection of a VGA monitor to a computer with USB-C™ interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like Macbook, Chromebook and similar. In addition, the adapter can also be operated on a Thunderbolt™ 3 interface.



20 cm

**Item no. 62994**

EAN: 4043619629947

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - 1 x USB Type-C™ male >
  - 1 x VGA 15 pin female
- Chipset: Realtek RTD2169U
- VGA port with nuts
- DisplayPort 1.4 specification
- Resolution up to WUXGA 1920 x 1200 @ 60 Hz (depending on the system and the connected hardware)
- Transfer of analogue video signals
- USB bus powered
- Plug & Play
- Gold-plated connectors
- 1 x ferrite core
- Cable length without connectors: ca. 20 cm
- Colour: black

## System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Windows 10 Mobile, Chrome OS, iPad Pro (2018), Linux ex Kernel 4.4, Mac ex OS 10.13
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

---

## Package content

- USB-C™ to VGA adapter

---

## Images



## General

|                             |   |
|-----------------------------|---|
| Function:                   | Plug & Play   |
| Specification:              | DisplayPort 1.4   |
| Supported operating system: | Chrome OS<br>Linux Kernel 4.4 or above<br>Mac OS 10.13 or above<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 10 Mobile<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>iPad Pro (2018) |

## Interface

|         |                       |
|---------|-----------------------|
| Output: | 1 x VGA 15 pin female |
| Input:  | 1 x USB Type-C™ male  |

## Technical characteristics

|                            |                     |
|----------------------------|---------------------|
| Chipset:                   | Realtek RTD2169U    |
| Maximum screen resolution: | 1920 x 1200 @ 60 Hz |
| Signal transmission:       | video               |

## Physical characteristics

|                      |             |
|----------------------|-------------|
| Ferrite core:        | 1 x         |
| Cable length:        | 20 cm       |
| Connector finishing: | gold-plated |
| Colour:              | black       |