

# Delock Adapter DisplayPort 1.2 male to HDMI female 4K Active white

## Description

This adapter by Delock enables the connection of an **HDMI monitor** to the system via a free DisplayPort interface. The adapter supports a resolution up to **4K Ultra HD at 30 Hz** and is backward compatible to Full-HD 1080p. The adapter offers an active conversion, thus it is also suitable for graphics cards that are not capable of outputting DP++ signals.



**Item no. 63586**

EAN: 4043619635863

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x DisplayPort male >
  - 1 x HDMI-A female
- Chipset: Parade PS171
- DisplayPort 1.2 and High Speed HDMI specification
- Active converter, for graphics cards with DP and DP++ output
- Resolution up to 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)
- Supports 3D displays (1080p @ 120 Hz)
- Supports HDCP 1.3
- Supports Eyefinity
- Audio input formats: 8-channel LPCM, compressed audio (AC-3, DTS) and HBR audio format up to 24 Bit audio sample size and 192 kHz sample rate
- Connectors: gold-plated
- 1 x ferrite core
- Cable length without connectors: ca. 20 cm
- Colour: white
- OS independent, no driver installation necessary

---

## System requirements

- A free DisplayPort female port

---

## Package content

- Adapter DisplayPort to HDMI

---

## Images



### Interface

Connector 1:	1 x DisplayPort male
Connector 2:	1 x HDMI-A female

### Technical characteristics

Chipset:	Parade PS171
Maximum screen resolution:	3840 x 2160 @ 30 Hz

### Physical characteristics

Ferrite core:	1 x
Cable length:	20 cm
Colour:	white