


Delock Slot bracket 1 x eSATApd 5 V / 12 V

Description

With this slot bracket by Delock a PC can be extended by one external Power Over eSATA port. Thus, different devices with eSATApd, eSATAp, eSATA or standard USB interface can be connected. The eSATApd port provides a voltage supply of 5 V and 12 V, therefore a 2.5" and 3.5" hard drive can be connected by using special Delock products like e.g. eSATApd cable. The included cables are for internal connection.



Item no. 63921

EAN: 4043619639212

Country of origin: China

Package: Zip poly bag

Specification

- Connectors:
 - internal:
 - 1 x 4 pin Floppy male
 - 1 x SATA 7 pin plug
 - 1 x 9 pin USB 2.0 pin header male
 - external:
 - 1 x eSATApd male
- Voltage: eSATApd 5 V and 12 V

System requirements


- PC with one free slot
- Power supply with one free 4 pin floppy power connector
- Motherboard with a free 7 pin SATA plug
- Motherboard with a free 9 pin USB 2.0 pin header male

Package content

- Slot bracket eSATApd
- Floppy power cable, length ca. 49 cm
- SATA data cable, length ca. 49 cm
- USB pin header female cable, length ca. 46 cm

Images

eSATApd (Power Over eSATA Dual)



Interface

External:	1 x eSATApd Stecker
Internal:	1 x 9 pin USB 2.0 pin header male 1 x 4 pin Floppy male 1 x SATA 7 pin plug

Physical characteristics

Slot bracket:	standard
---------------	----------