


Delock U.2 SFF-8654 or SATA Converter to 1 x M.2 Key M slot

Description

This Delock converter enables the connection of a M.2 SSD in 22110, 2280, 2260, 2242 and 2230 format. It allows the possibility to connect a PCIe or SATA M.2 SSD. The converter can be installed into your system internally through the SATA 22 pin interface while using a SATA M.2 SSD, or via the U.2 interface while using a PCIe M.2 SSD.



Item no. 63953

EAN: 4043619639533

Country of origin: Taiwan,
Republic of China

Package: Box

Technical details

- Connectors:
 - 1 x 38 pin SFF-8654 4i female (for PCIe SSDs)
 - 1 x SATA 6 Gb/s 22 pin plug (for SATA SSDs)
 - 1 x 67 pin M.2 key M slot
- Interface: PCIe / SATA
- Supports M.2 modules in format 22110, 2280, 2260, 2242 and 2230 with key M or key B+M based on SATA or PCIe
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- LEDs for power and activity
- Bootable
- Supports NVM Express (NVMe)
- Maximum output current: 4 A
- Short circuit protection, over heating protection
- ESD protection up to 2 kV
- Dimensions (LxWxH): ca. 145 x 51 x 9 mm


System requirements

- Linux Kernel 3.19 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- A free U.2 SFF-8643 interface (PCIe SSD) or
- A free SATA 22 pin interface (SATA SSD)

Package content

- Converter
- Cable SFF-8654 4i female to SFF-8643 male, length ca. 50 cm
- Mounting material
- User manual

Images



General

Function:	NVM Express (NVMe)
Supported operating system:	Linux Kernel 3.19 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
Slot:	PCIe SATA
Supported module:	22110, 2280, 2260, 2242 and 2230 with key M or key B+M based on SATA or PCIe
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

Interface

Connector 1:	1 x 38 pin SFF-8654 4i female
Connector 2:	1 x SATA 6 Gb/s 22 pin plug
connector 3:	1 x 67 pin M.2 key M slot

Physical characteristics

Length:	145 mm
Width:	51 mm
Height:	9 mm