

# Delock USB Type-C™ 3.1 Docking Station for 2 x SATA HDD / SSD with Clone Function

## Description

This docking station by Delock enables an external connection of up to two 2.5" or 3.5" SATA HDDs or SSDs through the USB-C™ interface. This solution does not require an external enclosure since the drive can be plugged into the docking station directly. Furthermore the clone function enables to copy the content of one HDD to another without using a PC.



## Specification

- Connectors:
  - 1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) USB Type-C™ female
  - 2 x SATA 6 Gb/s 22 pin receptacle
  - 1 x DC jack
- Chipset: Asmedia ASM1352R
- Function key:
  - 1 x Clone button
  - 1 x On / Off switch
- For 2.5" and 3.5" SATA HDD / SSD
- Suitable for all SATA HDDs up to SATA 6 Gb/s
- Data transfer rate up to 6 Gb/s
- LED indicator for power, access and copy status
- Dimensions (LxWxH): ca. 153 x 110 x 62 mm
- Plug & Play

## Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 1.2 A
- Output: 12 V / 3 A
- Ground outside, plus inside
- Dimensions:
  - inside: ø ca. 2.1 mm
  - outside: ø ca. 5.5 mm
  - length: ca. 10 mm

## System requirements

- Linux Kernel 4.9.4 or above
- Mac OS 10.13.3 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-C™ port

## Package content

- Docking station
- Cable USB-C™ male to USB-C™ male, length ca. 80 cm
- External power supply 12 V / 3 A
- User manual

## Item no. 63957

EAN: 4043619639571

Country of origin: China

Package: Retail Box

Images



| General                     |  |
|-----------------------------|--|
| Function:                   | Clone Function   |
| Suitable for data medium:   | 2.5"<br>3.5"<br>SSD or HDD   |
| Supported operating system: | Linux Kernel 4.9.4 or above<br>Mac OS 10.13.3 or above<br>Windows 10 32-bit<br>Windows 10 64-bit<br>Windows 7 32-bit<br>Windows 7 64-bit<br>Windows 8.1 32-bit<br>Windows 8.1 64-bit |
| Interface                   |  |
| External:                   | 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female<br>1 x DC 12 V power connector   |
| Internal:                   | 2 x SATA 22 Pin Buchse   |
| Technical characteristics   |  |
| Chipset:                    | Asmedia ASM1352R   |
| Physical characteristics    |  |
| Housing material:           | Plastic  |
| Length:                     | 153 mm   |
| Width:                      | 110 mm   |
| Height:                     | 62 mm  |
| Colour:                     | black  |