

Delock USB 3.0 Dual Docking Station for 2 x SATA HDD / SSD with Clone and Erase Function in Metal Housing

Description

This HDD / SSD Docking Station in metal frame by Delock enables an external connection of two 2.5" or 3.5" SATA HDDs / SSDs through the USB interface. This solution does not require an external enclosure since the HDD / SSD will be plugged into the docking station directly. Furthermore, the clone function enables copying the content of one HDD to another without using a PC. By the help of the erase function, the data of the inserted memory can be deleted with 3 different modes.



Specification

- Connectors:
 - 2 x SATA 6 Gb/s 22 pin receptacle
 - 1 x USB 3.0 Type-B female
 - 1 x DC jack
- Chipset: Prolific PL2773
- Function key:
 - 1 x clone / erase button
 - 1 x On / Off switch
- For 2.5" and 3.5" SATA HDD / SSD
- Suitable for all SATA HDDs / SSDs up to SATA 6 Gb/s
- Data transfer rate up to:
 - SuperSpeed 5 Gb/s,
 - Hi-Speed 480 Mb/s,
 - Full-Speed 12 Mb/s,
 - Low-Speed 1.5 Mb/s
- 2 x eject button
- LED indicator for power, access, copy and erase status
- Dimensions (LxWxH): ca. 151 x 109 x 59 mm
- Plug & Play

Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 1 A
- Output: 12 V / 3 A
- Ground outside, plus inside
- Dimensions:
 - inside: \varnothing ca. 2.1 mm
 - outside: \varnothing ca. 5.5 mm
 - length: ca. 12.0 mm

System requirements

- Chrome OS
- Linux Kernel 4.9.4 or above
- Mac OS 10.13.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

Package content

- Dual Docking Station

Item no. 63992

EAN: 4043619639922

Country of origin: China

Package: Retail Box



- 1 x cable USB 3.0 A male to USB 3.0 B male, length ca. 1 m
- External power supply
- User manual

Images



General	
Function:	Plug & Play Clone Function Erase function
Suitable for data medium:	2.5" 3.5" SSD or HDD
Supported operating system:	Chrome OS Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Mac OS 10.13.6 or above Linux Kernel 4.9.4 or above
Interface	
External:	1 x USB 3.0 Type-B female 1 x DC 12 V power connector
Internal:	2 x SATA 22 Pin Buchse
Technical characteristics	
Chipset:	Prolific PL2773
Physical characteristics	
Housing material:	metal
Length:	151 mm
Width:	109 mm
Height:	59 mm
Colour:	black