

# Delock 3 Port USB Hub and HDMI output with USB Type-C™ connection PD

## Description

The USB hub by Delock is the mobile companion for laptops or tablets with USB Type-C™ connection. Up to 2 **USB Type-A** devices and one **USB-C™** device can be connected to the hub. One monitor can be operated at the **HDMI** output with a maximum resolution up to **4K 30 Hz**.

### USB Power Delivery support up to 60 watt

The hub has a USB Type-C™ Power Delivery port to connect the laptop or tablet to charge it. In addition it also supplies the USB females with power. The hub can also be used without a power supply.

### Small sturdy helper

Due to its small dimensions and its **sturdy housing**, this Delock Hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



## Specification

- Connectors:
  - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male >
  - 2 x SuperSpeed USB (USB 3.1 Gen 1) Type-A female
  - 1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ female
  - 1 x USB Type-C™ Power Delivery female (optional for power supply)
  - 1 x HDMI-A female
- Chipset: Parade PS176, Genesys Logic GL3510, Fresco Logic FL7102
- Resolution up to 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Data transfer rate up to:
  - SuperSpeed USB 5 Gbps,
  - Hi-Speed 480 Mbps,
  - Full-Speed 12 Mbps,
  - Low-Speed 1.5 Mbps
- Input power PD: max. 60 W
- 1 x ferrite core
- USB Power Delivery (PD) 2.0
- Cable length without connectors: ca. 20 cm
- Dimensions (LxWxH): ca. 54 x 54 x 13 mm
- Plug & Play

## System requirements

- Android 8.0 or above
- Chrome OS
- Linux Kernel 4.15.3 or above
- Mac OS 10.13.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Laptop or tablet with a free USB Type-C™ or Thunderbolt™ 3 port

## Package content

- USB hub
- User manual

## Item no. 64062

EAN: 4043619640621

Country of origin: China

Package: Retail Box



Images



**Interface**

Connector 1:	1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ male
Connector 2:	2 x SuperSpeed USB (USB 3.1 Gen 1) Type-A female
connector 3:	1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ female
connector 4:	1 x USB Type-C™ Power Delivery female
connector 5:	1 x HDMI-A female

**Technical characteristics**

Chipset:	Parade PS176 Genesys Logic GL3510 Fresco Logic FL7102
----------	---

**Physical characteristics**

Cable length incl. connector:	20 cm
Length:	54 mm
Width:	54 mm
Height:	13 mm