

Delock Adapter for Apple power supply with PD and HDMI 4K

Description

This adapter by Delock can be plugged onto an Apple power supply, e.g. the MacBook Pro, and expands the power supply to with three USB ports and one HDMI port. The USB ports can either be used to charge up to three USB devices simultaneously, or when connected to a laptop or tablet, the USB Type-A ports can be used as a USB 3.0 hub. An additional monitor can be connected to the HDMI port.

Firm hold on power supply

Due to the USB Type-C[™] plug and the retainer on the sides, the adapter has a **firm hold on the power supply.**



Item no. 64080

EAN: 4043619640805 Country of origin: China Package: Retail Box

Specification

- Connectors:
 - 1 x USB Type-C™ male
 - 1 x USB Type-C™ Power Delivery female
 - 2 x USB 3.0 Type-A female Battery Charging specification BC1.2
 - 1 x HDMI-A female
- USB Power Delivery (PD) 3.0
- Output:

USB Type-C™ Power Delivery (PD):

max. 48 watt at 61 watt Apple power supply, max. 74 watt at 87 watt Apple power supply

USB Type-A female with BC1.2 5 V / 1.5 A

- · Overload protection
- Over current protection
- Overheating protection
- Short circuit protection
- Resolution up to 3840 x 2160 @ 30 Hz
 (depending on the system and the connected hardware)
- Transmission of audio and video signals
- 1 x LED indicator



- Colour: white
- Dimensions (LxWxH): ca. 74 x 59 x 34 mm

System requirements

Apple 61, 87 or 96 watt power supply with USB-C™ female

Package content

- Adapter
- Cable USB-C™ male to USB-C™ male, length ca. 1 m
- User manual

Images











General

LED indicator: 1 x

Interface

Connector 1:	1 x USB Type-C™ male
Connector 2:	1 x HDMI-A female
connector 3:	1 x USB Type-C™ Power Delivery female
connector 4:	2 x USB Type-A female - Battery Charging specification BC1.2

Technical characteristics

3840 x 2160 @ 30 Hz Maximum screen resolution:

Physical characteristics

Colour:	white