


Delock Converter USB Type-C™ to SFF-8643

Description

This converter by Delock enables e.g. the connection of a **U.2 NVMe SSD or M.2 SSD**, by the help of optional cables, via the USB port to the PC or laptop. Therefore the converter is most suitable as test equipment.

Supports SuperSpeed USB 10 Gbps

A maximum data transfer rate of up to **USB 3.2 Gen 2 - 10 Gbps** can be reached.



Item no. 64093

EAN: 4043619640935

Country of origin: China

Package: Box

Specification

- Connectors:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female
 - 1 x SFF-8643 female
- Chipset: Asmedia ASM2362
- Supports NVM Express (NVMe)
- Data transfer rate up to 10 Gbps
- LED indicator for power and access
- Bootable
- Dimensions (LxWxH): ca. 79 x 41 x 16 mm




System requirements

- Chrome OS 76.0 or above
- Linux Kernel 3.3 or above
- Mac OS 10.15.1 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB port

Package content

- Converter
- User manual

Images



General

| | |
|-----------------------------|---|
| Function: | bootable |
| Supported operating system: | Chrome OS 76.0 or above Linux Kernel 3.3 or above Mac OS 10.15.1 or above Windows 10 32-bit Windows 10 64-bit Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit |

Interface

| | |
|--------------|---|
| Connector 1: | 1 x SuperSpeed USB 10 Gbps (USB 3.2 Gen 2) USB Type-C™ female |
| Connector 2: | 1 x SFF-8643 female |

Technical characteristics

| | |
|---------------------|-----------------|
| Chipset: | Asmedia ASM2362 |
| Data transfer rate: | up to 10 Gbps |

Physical characteristics

| | |
|---------|-------|
| Length: | 79 mm |
| Width: | 41 mm |
| Height: | 16 mm |