

# Delock USB Type-C<sup>™</sup> Adapter to Gigabit LAN with Power Delivery port grey

## Description

The adapter by Delock expands a PC or laptop by one network interface via the USB Type- $C^{TM}$  interface. In addition, the adapter can also be operated on a **Thunderbolt**<sup>TM</sup> **3 interface**.

USB Power Delivery (USB PD 3.0) support up to 100 watt

The adapter has a USB Type-C™ Power Delivery port to connect the power supply of the laptop or tablet to charge it.

#### Small sturdy helper

Due to its small dimensions and its **sturdy housing**, this Delock adapter is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.

#### **Note**

When using with MacBook, the driver has to be installed first.

# Power Delivery The state of th

#### Item no. 64116

EAN: 4043619641161 Country of origin: China Package: Retail Box

# **Specification**

- · Connectors:
  - 1 x SuperSpeed USB (USB 3.2 Gen 1) USB Type-C™ male >
  - 1 x Gigabit LAN RJ45 jack
  - 1 x USB Type- $C^{TM}$  PD female (power supply)
- Chipset: ASIX AX88179
- SuperSpeed USB 5 Gbps specification
- · Data transfer rate:

Ethernet up to 10 Mbps (Half/Full Duplex)

Fast Ethernet up to 100 Mbps (Half/Full Duplex)

Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)

· Compatible with:

IEEE 802.3: 10BASE-T
IEEE 802.3u: 100BASE-TX
IEEE 802.3ab: 1000BASE-T

Supports Auto MDI-X (automatic detection of standard or crossover network cable)



- Supports Wake On LAN (WOL)
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Support full duplex operation with IEEE 802.3x flow control and half duplex operation with back-pressure flow control
- Supports 4k Jumbo Frames
- Output power for host: max. 100 W
- Housing material: aluminium / plastic
- · LED indicator for power and activity
- USB bus powered
- · Colour: grey
- Cable length incl. connectors: ca. 15.5 cm
- Dimensions (LxWxH): ca. 56 x 23.5 x 23.5 mm

# **System requirements**

- Android 10.0 or above
- Chrome OS
- Linux Kernel 5.4 or above
- Mac OS 10.15.6 or above
- Windows 8.1/8.1-64/10/10-64/11
- Laptop or tablet with a free USB Type-C™ or Thunderbolt™ 3 port

# Package content

- USB Type-C™ Gigabit LAN adapter
- User manual

### **Images**









### General

| Supported operating system: | Chrome OS Linux Kernel 5.4 or above Mac OS 10.15.6 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (2018) Android 10.0 or above |
|-----------------------------|---|
| LED indicator:              | 1 x   |

# Interface

| Connector 1: | 1 x USB 5 Gbps USB Type-C™ male       |
|--------------|---------------------------------------|
| Connector 2: | 1 x Gigabit LAN RJ45 jack             |
| connector 3: | 1 x USB Type-C™ Power Delivery female |

# **Technical characteristics**

| Chipset:            | ASIX AX88179  |
|---------------------|---|
| Data transfer rate: | Gigabit Ethernet up to 100 Gbps Gigabit Ethernet up to 10 Gbps Gigabit Ethernet up to 1000 Mbps |

# **Physical characteristics**

| Colour: | grey |
|---------|------|
| Colour. | grey |