


Delock M.2 Key M to PCIe x4 NVMe Adapter angled with 20 cm cable

Description

This adapter by Delock can be used to connect a **PCI Express card to an M.2 slot**. The **flexible cable** allows a space-saving installation inside the computer case. The additional power connector can supply the PCIe card with 12 V voltage if required.



Item no. 64132

EAN: 4043619641321

Country of origin: China

Package: Box

Technical details

- Connectors:
 - 1 x 67 pin M.2 key M male >
 - 1 x PCI Express x4, V3.0
 - 1 x 4 pin power connector
- Interface: PCIe / NVMe
- Form factor: M.2 2280
- Cable gauge: 30 AWG
- Bootable, ex UEFI version 2.3.1
- Supports NVM Express (NVMe)
- Length without connectors: ca. 20 cm


System requirements

- A free M.2 interface with key M

Package content

- Adapter
- Screwdriver
- Mounting material
- Power cable 4 pin to SATA, length ca. 15 cm
- User manual

Images



General

| | |
|-----------|---|
| Function: | Bootable, ex UEFI 2.3.1 NVM Express (NVMe) |
|-----------|---|

Interface

| | |
|--------------|---------------------------|
| Connector 1: | 1 x 67 pin M.2 Key M male |
| Connector 2: | 1 x PCI Express x4, V3.0 |
| connector 3: | 1 x 4 pin power connector |

Physical characteristics

| | |
|---------------|---------------------------|
| Cable length: | 20 cm (without connector) |
|---------------|---------------------------|