

Delock 4 Port In-Desk Hub with 4 x SuperSpeed USB Type-A Port

Description

This hub by Delock can be installed into an existing cut-out of the desk with a **diameter of 60 mm** and can be connected to a computer via the USB Type-A interface. It expands the computer by **four USB Type-A connectors**.

Cover cap and cable entry

The hub has a cover **cap** that protects the ports from dirt. In addition, a **cable entry** is available, whereby existing cables for e.g. mouse, keyboard and monitor can still be passed through the recess.



Item no. 64153

EAN: 4043619641536

Country of origin: China

Package: Retail Box

Specification

- Connectors:
top side: 4 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female
bottom side: 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A male
- Chipset: VIA VL817
- Data transfer rate up to:
SuperSpeed USB 5 Gbps,
Hi-Speed 480 Mbps,
Full-Speed 12 Mbps,
Low-Speed 1.5 Mbps
- 1 x LED indicator
- Power supply: Bus-powered
- Mounting diameter: 60 mm
- Mounting depth: 43 mm
- Cable length: ca. 150 cm
- Plug & Play

System requirements

- Chrome OS
- Linux Kernel 5.8 or above
- Mac OS 11.2.3 or above
- Windows 8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port
- 60 mm cut-out in the desk

Package content

- In-Desk Hub
- Cover cap
- User manual

Images



General

| | |
|-----------------------------|--|
| Function: | Plug & Play |
| Mounting type: | in-desk |
| Supported operating system: | Chrome OS Linux Kernel 5.8.0 or above Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Mac OS 11.2.3 or above |
| LED indicator: | 1 x |

Interface

| | |
|--------------|--|
| Connector 1: | 1 x SuperSpeed USB (USB 3.2 Gen 1) Type-A male |
| Connector 2: | 4 x SuperSpeed USB (USB 3.2 Gen 1) Type-A female |

Technical characteristics

| | |
|---------------------|-----------------|
| Chipset: | VIA VL817 |
| Data transfer rate: | 5 Gbps |
| Voltage: | USB bus powered |

Physical characteristics

| | |
|---------------|-------|
| Cable length: | 1.5 m |
|---------------|-------|