

# Delock USB Type-C™ Adapter to DisplayPort (DP Alt Mode) 8K with HDR and Power Delivery 60 W

## Description

This adapter by Delock is suitable for the connection of a DisplayPort monitor in **8K Ultra HD** (7680 x 4320 @ 60 Hz) resolution to a computer with **USB-C™** interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like MacBook, Chromebook and similar. In addition, the adapter can also be operated on a Thunderbolt™ 3 interface.



### USB Power Delivery (USB PD 3.0) support up to 60 watt

This adapter has a USB Type-C™ Power Delivery port. If this port is connected to the power supply of the laptop or tablet, the host device is charged with up to 60 watts during operation.

**Item no. 64202**

EAN: 4043619642021

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - 1 x USB Type-C™ male
  - 1 x DisplayPort female
  - 1 x USB Type-C™ PD female (power supply)
- DisplayPort 1.4 specification
- Resolution:
  - with DSC:
    - 7680 x 4320 @ 60 Hz
    - 3840 x 2160 @ 144 Hz
  - without DSC:
    - 7680 x 4320 @ 30 Hz
    - 3840 x 2160 @ 120 Hz
  - (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports 3D displays
- Supports HDR10
- Supports HDCP 1.4 and 2.2
- Output power for host: max. 60 W
- Plug & Play

- Housing material: aluminium
  - Cable length without connectors: ca. 13 cm
  - Colour: black
- 

## System requirements

- Android 11.0 or above
  - Chrome OS
  - Linux Kernel 5.11 or above
  - Mac OS 12.2.1 or above
  - Windows 8.1/8.1-64/10/10-64/11
  - iPad Air (4th Generation) or above
  - iPad Pro (3rd Generation) or above
  - Surface Pro 7
  - PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
  - PC or laptop with a free Thunderbolt™ 3 port
- 

## Package content

- USB-C™ to DisplayPort adapter
  - User manual
- 

## Images



## General

Function:	Plug & Play HDR / HDR10
Supported operating system:	Chrome OS Surface Pro 7 Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-bit Windows 8.1 64-bit iPad Pro (3rd Generation) or above iPad Air (4th Generation) or above Windows 11 Linux Kernel 5.11 or above Mac OS 12.2.1 or above Android 11.0 or above

## Interface

Connector 1:	1 x USB Type-C™ male
Connector 2:	1 x DisplayPort female
connector 3:	1 x USB Type-C™ Power Delivery female

## Technical characteristics

Maximum screen resolution:	7680 x 4320 @ 60 Hz
----------------------------	---------------------