

Delock Adapter mini DisplayPort 1.2 male > DisplayPort female 4K black

Description

This adapter by Delock enables, by means of an optional DisplayPort cable, the connection between a DisplayPort monitor and a system with a mini DisplayPort interface. It supports a resolution up to Ultra HD (4K) and is backwards compatible to Full-HD 1080p.



15 cm

Item no. 65554

EAN: 4043619655540

Country of origin: China

Package: Zip poly bag

Specification

- Connector:
mini DisplayPort 20 pin male >
DisplayPort 20 pin female
- Input = mini DisplayPort; Output = DisplayPort
- DisplayPort 1.2 specification
- Cable gauge: 32 AWG
- Cable diameter: ca. 5 mm
- Net shielding
- Gold-plated connector
- Transfer of audio and video signals
- Data transfer rate up to 21.6 Gb/s
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Colour: black
- Cable length: ca. 15 cm (without connector)

System requirements

- A free mini DisplayPort female port
-

Package content

- Adapter mini DisplayPort to DisplayPort
-

Images



General

Specification:	DisplayPort 1.2
----------------	-----------------

Interface

Output:	1 x DisplayPort 20 pin female
Input:	1 x mini DisplayPort 20 pin male

Technical characteristics

Data transfer rate:	21,6 Gb/s
Maximum screen resolution:	3840 x 2160 @ 60 Hz

Physical characteristics

Ferrite core:	1 x
Cable length:	15 cm
Cable diameter:	5 mm
Pin finishing:	gold-plated
Conductor gauge:	32 AWG
Colour:	black